

# PD3020 - POWER DIVIDER/COMBINER

## 2-Way, N-Jack, T-Style, 0.7-2.7 GHz, 40 Watts

## Features & Benefits



T-housing allows convenient cable access

## Overview

**PD**3020 is a broadband, 2-way, power divider/power combiner furnished with N-Jack connectors in a T-Style housing. All wireless-band frequencies from 0.7 - 2.7 GHz are covered with optimal performance. Input power levels up to 40 watts can be handled in both power divider and power combiner applications. See **input power rating tables** for specific details.

## Electrical

The heart of the unit is a precision designed and etched microstrip circuit on a low-loss, high frequency, dielectric substrate. Electrical performance is highlighted by 0.4 dB max insertion loss (above the 3.01 dB power split), 22 dB min isolation, 1.25:1 max input VSWR and 1.15:1 max output VSWR. Equal power split and balance is displayed by 0.2 dB max ampli-

tude balance and 2 degrees max phase balance. Narrow band performance over your frequency range may be even better. See **power divider test sweeps** for specific details.

## Mechanical

The PD3020's T-Style housing allows convenient cable access to all connector ports. Mechanical features include precision CNC machined, brass, N-Jack connectors with tri-alloy plating to insure tarnish resistance and low-PIM operation. Connector pins are gold plated phosphor bronze for reliability and low contact resistance. Virgin electrical grade PTFE insulators support the contact pins enabling high withstand voltage. Long-term operation and superior shielding is maintained by the rugged CNC-machined aluminum housing with yellow iridite finish. Secure mounting is provided by two 0.125 in. diameter (3.18 mm) through holes.

## Physical

Housing dimensions are 1.98 in. wide by 1.98 in. deep by 0.75 in. high (50.3 x 50.3 x 19.1 mm). The N-Jack connectors extend 0.65 in. (16.5 mm) from the housing. Weight is 151 grams. Operating temperature range is from -65°C to +85°C. See **power divider outline drawing** for more information.

## Warranty

Each unit is 100% electrically tested to insure complete compliance with all specifications. The PD3020 power divider/power combiner is covered by a **two-year warranty**.

- design
- manufacture
- direct sales

**INSTOCK**  
wireless components  
*Better Products. Better Prices.*

50 Intervale Road  
Boonton, NJ 07005 USA  
ph: 973.335.6550  
fx: 973.335.6770  
email: sales@instockwireless.com  
web: [www.instockwireless.com](http://www.instockwireless.com)